

HiMedia Laboratories Private Limited

C-40, Road No.21Y, MIDC, Wagle Industrial Area,
Thane(W) - 400604 , Website : www.himedialabs.com,
Email : info@himedialabs.com

Certificate of Analysis, Quality and Conformity

Material Code : M027	Material Name : Bismuth Sulphite Agar	Lot No : 0000577096
Report No.: 40001333477	Date of Release & Report : 2023-03-04	Expiry Date : 2024-07

Appearance

Light yellow to greenish yellow homogeneous free flowing powder. Observed : Greenish yellow

Gelling

Firm, comparable with 2.0% agar gel.

Colour and Clarity of prepared medium

Greenish yellow coloured, opalescent with flocculent precipitate forms in Petri plates.

Reaction

Reaction of 5.23% w/v aqueous solution at 25°C.

pH

pH Range :7.50-7.90 Observed : 7.85

Cultural Response

Cultural characteristics observed after an incubation at 35-37°C for 40- 48 hours.

Organism	Inoculum (CFU)	Growth	Recovery	Colour of Colony
Cultural Response				
<i>Enterobacter aerogenes</i> ATCC 13048 (WDCM 00175)	50-100	none-poor	<=10%	brown-green (depends on the inoculum density)
<i>Enterococcus faecalis</i> ATCC 29212 (WDCM 00087)	>=10 ⁴	inhibited	0%	-
<i>Escherichia coli</i> ATCC 25922 (WDCM 00013)	50-100	none-poor	<=10%	brown-green (depends on the inoculum density)
<i>Salmonella enterica</i> serovar <i>Enteritidis</i> ATCC 13076 (WDCM 00030)	50-100	good-luxuriant	>=50%	black with metallic sheen
<i>Salmonella enterica</i> serovar <i>Typhi</i> ATCC 6539	50-100	good-luxuriant	>=50%	black with metallic sheen
<i>Salmonella enterica</i> serovar <i>Typhimurium</i> ATCC 14028 (WDCM 00031)	50-100	good-luxuriant	>=50%	black with metallic sheen
<i>Shigella flexneri</i> ATCC 12022 (WDCM 00126)	50-100	none-poor	<=10%	brown
<i>Escherichia coli</i> ATCC 8739 (WDCM 00012)	50-100	none-poor	<=10%	brown to green, depends on inoculum density
<i>Escherichia coli</i> NCTC 9002	50-100	none-poor	<=10%	brown to green (depends

HiMedia Laboratories Private Limited

C-40, Road No.21Y, MIDC, Wagle Industrial Area,
Thane(W) - 400604 , Website : www.himedialabs.com,
Email : info@himedialabs.com

Certificate of Analysis, Quality and Conformity

Material Code : M027	Material Name : Bismuth Sulphite Agar	Lot No : 0000577096
Report No.: 40001333477	Date of Release & Report : 2023-03-04	Expiry Date : 2024-07

				on inoculum density)
<i>Salmonella enterica serovar Abony NCTC 6017 (WDCM 00029)</i>	50-100	good-luxuriant	>=50%	black with metallic sheen

- . ATCC is a registered trade mark of the American Type Culture Collection
- . NCTC and National Collection of Type Culture are registered trade mark of the Health Protection Agency

Control Media :

- . For Bacteria : Soyabean Casein Digest Agar / Columbia Blood Agar base enriched with 5% v/v Sheep/Horse blood.
- . For Yeast & Mold : Sabouraud Dextrose Agar.

- . All ISO 11133 : 2014/Amd.1:2018(E) control strains are included in the Quality parameter
- . HiMedia Laboratories Pvt Ltd is Certified for ISO 9001:2015, ISO 13485:2016 , WHO GMP

. Information for BSE/TSE Risk: The material was subjected to pH <= 7.0 and/or a temperature in excess of 75°C for no less than 2 hours during the manufacturing process. The bovine raw material for this product was collected entirely from Indian Origin animals in a licensed based establishment. The animals are inspected under a Govt. approved veterinarian's supervision and were apparently free from infectious and contagious diseases. BSE (Bovine Spongiform Encephalopathy)/ TSE (Transmissible Spongiform Encephalopathy) and dioxine are not known to exist in India. This material does not contain, nor is derived from the specific risks material as defined in The Maharashtra Animal Preservation Act Govt. of Maharashtra, India.

STATUS OF THE MATERIAL : APPROVED

This is to certify that this lot passes and it confirms to the above mentioned tests and specifications . The information given here is believed to be correct and accurate, however, both the information and products are offered without warranty for any particulars use, other than that specified in the current HiMedia manual or product sheets. The results reported were obtained at the time of release.

This document has been produced electronically and is valid



Maya Sonavane

**Microbiologist/Sr.Executive
Microbiologist**



Ujwala M. Kokate

Asst./Dy/QC Manager



Dr. Santosh Kaul

Dy/QA Manager

2023-03-04