

HiMedia Laboratories Private Limited

C-40, Road No.21Y, MIDC, Wagle Industrial Area,
Thane(W) - 400604 , Website : www.himedialabs.com,
Email : info@himedialabs.com

Certificate of Analysis, Quality and Conformity

Material Code : M640	Material Name : *Rose Bengal Chloramphenicol Agar	Lot No : 0000619272
Report No.: 40001419549	Date of Release & Report : 2023-12-01	Expiry Date : 2027-10

Appearance

Light yellow to pink homogeneous free flowing powder. Observed : Light pink

Gelling

Firm, comparable with 1.55% Agar gel.

Colour and Clarity of prepared medium

Deep pink coloured clear to slightly opalescent gel forms in Petri plates.

Reaction

Reaction of 3.22% w/v aqueous solution at 25°C.

pH

pH Range :7.00-7.40 Observed : 7.37

Cultural Response

Cultural characteristics observed after an incubation at 25-30°C for 5 days.

Organism	Growth
Cultural Response	
<i>Aspergillus brasiliensis</i> ATCC 16404 (WDCM 00053)	good-luxuriant
<i>Bacillus spizizenii</i> ATCC 6633 (WDCM 00003)	inhibited
<i>Cladosporium cladosporioides</i> ATCC 11278	good-luxuriant
<i>Escherichia coli</i> ATCC 25922 (WDCM 00013)	inhibited
<i>Enterococcus faecalis</i> ATCC 29212 (WDCM 00087)	inhibited
<i>Mucor racemosus</i> ATCC 42647 (WDCM 00181)	good-luxuriant
<i>Penicillium chrysogenum</i> ATCC 10108	good-luxuriant
<i>Saccharomyces cerevisiae</i> ATCC 9763 (WDCM 00058)	good-luxuriant

- . ATCC is a registered trade mark of the American Type Culture Collection
- . NCTC and National Collection of Type Culture are registered trade mark of the Health Protection Agency

Control Media :

- . For Bacteria : Soyabean Casein Digest Agar / Columbia Blood Agar base enriched with 5% v/v Sheep/Horse blood.
- . For Yeast & Mold : Sabouraud Dextrose Agar.

- . All ISO 11133 : 2014/Amd.1:2018(E) control strains are included in the Quality parameter
- . HiMedia Laboratories Pvt Ltd is Certified for ISO 9001:2015, ISO 13485:2016 , WHO GMP

. Information for BSE/TSE Risk: The material was subjected to pH <= 7.0 and/or a temperature in excess of 75°C for no less than 2 hours during the manufacturing process. The bovine raw material for this product was collected entirely from Indian Origin animals

HiMedia Laboratories Private Limited

C-40, Road No.21Y, MIDC, Wagle Industrial Area,
Thane(W) - 400604 , Website : www.himedialabs.com,
Email : info@himedialabs.com

Certificate of Analysis, Quality and Conformity

Material Code : M640	Material Name : *Rose Bengal Chloramphenicol Agar	Lot No : 0000619272
Report No.: 40001419549	Date of Release & Report : 2023-12-01	Expiry Date : 2027-10

in a licensed based establishment. The animals are inspected under a Govt. approved veterinarian's supervision and were apparently free from infectious and contagious diseases. BSE (Bovine Spongiform Encephalopathy)/ TSE (Transmissible Spongiform Encephalopathy) and dioxine are not known to exist in India. This material does not contain, nor is derived from the specific risks material as defined in The Maharashtra Animal Preservation Act Govt. of Maharashtra, India.


STATUS OF THE MATERIAL : APPROVED

This is to certify that this lot passes and it confirms to the above mentioned tests and specifications . The information given here is believed to be correct and accurate, however, both the information and products are offered without warranty for any particulars use, other than that specified in the current HiMedia manual or product sheets. The results reported were obtained at the time of release.

This document has been produced electronically and is valid


Maya Sonavane

**Microbiologist/Sr.Executive
Microbiologist**


Ujwala M. Kokate

Asst./Dy/QC Manager


Dr. Santosh Kaul

Dy/QA Manager

2023-12-01