

Observed : Light yellow

HiMedia Laboratories Private Limited

23, Vadhani Industrial Estate, L.B.S. Marg, Mumbai - 400086, Website : www.himedialabs.com, Email : info@himedialabs.com

Certificate of Analysis, Quality and Conformity

Material Code : GM561A	Material Name : Nutrient Agar, pH 7.0, Granulated	Lot No : 0000447138
Report No.: 40001047103	Date of Release & Report : 2020-09-02	Expiry Date : 2025-07

Appearance

Cream to yellow coloured, granular medium.

Gelling

Firm, comparable with 1.5% Agar gel

Colour and Clarity of Prepared medium

Yellow coloured clear to slightly opalescent gel forms in Petri plates

Reaction

Reaction of 2.3% w/v aqueous solution at 25°C.

рΗ

pH Range :6.80-7.20 Observed : 7.03

Cultural Response

Cultural characteristics observed after an incubation at 35-37°C for 18-24 hours .

Organism	Inoculum (CFU)	Growth	Recovery		
Cultural Response					
Enterococcus faecalis ATCC 29212	50-100	luxuriant	>=70%		
Escherichia coli ATCC 25922	50-100	luxuriant	>=70%		
Salmonella Enteritidis ATCC 13076	50-100	luxuriant	>=70%		
Salmonella Typhi ATCC 6539	50-100	luxuriant	>=70%		
Salmonella Typhimurium ATCC 14028	50-100	luxuriant	>=70%		
Shigella flexneri ATCC 12022	50-100	luxuriant	>=70%		
Staphylococcus aureus ATCC 25923	50-100	luxuriant	>=70%		

. ATCC is a registered trade mark of the American Type Culture Collection

. NCTC and National Collection of Type Culture are registered trade mark of the Health Protection Agency

Control Media :

. For Bacteria : Soyabean Casein Digest Agar / Columbia Blood Agar base enriched with 5% v/v Sheep/Horse blood.

. For Yeast & Mold : Sabouraud Dextrose Agar.

. All ISO 11133 : 2014/Amd.1:2018(E) control strains are included in the Quality parameter

. HiMedia Laboratories Pvt Ltd is Certified for ISO 9001:2015, ISO 13485:2016 , WHO GMP

. Information for BSE/TSE Risk The material was subjected to pH <= 7.0 and/or a temperature in excess of 75°C for no less than 2



HiMedia Laboratories Private Limited

23, Vadhani Industrial Estate, L.B.S. Marg, Mumbai - 400086, Website : www.himedialabs.com, Email : info@himedialabs.com

Certificate of Analysis, Quality and Conformity

Material Code : GM561A	Material Name : Nutrient Agar, pH 7.0, Granulated	Lot No : 0000447138
Report No.: 40001047103	Date of Release & Report : 2020-09-02	Expiry Date : 2025-07

hours during the manufacturing process. The bovine raw material for this product was collected entirely from Indian Origin animals in a licensed based establishment. The animals are inspected under a Govt. approved veterinarian's supervision and were apparently free from infectious and contagious diseases. BSE (Bovine Spongiform Encephalopathy)/ TSE (Transmissible Spongiform Encephalopathy) and dioxine are not known to exist in India. This material does not contain, nor is derived from the specific risks material as defined in The Maharashtra Animal Preservation Act Govt. of Maharashtra, India.

STATUS OF THE MATERIAL : APPROVED

This is to certify that this lot passes and it confirms to the above mentioned tests and specifications . The information given here is believed to be correct and accurate, however, both the information and products are offered without warranty for any particulars use, other than that specified in the current HiMedia manual or product sheets. The results reported were obtained at the time of release. This document has been produced electronically and is valid

Gorgrane Maya Sonavane

Microbiologist/Sr.Executive Microbiologist

Ujwala M. Kokate

Asst./Dy/QC Manager

nkal

Dy/QA Manager

2020-09-02