



#### **HiMedia Laboratories Private Limited**

C-40, Road No.21Y, MIDC, Wagle Industrial Area, Thane(W) - 400604, Website: www.himedialabs.com,

Email: info@himedialabs.com

# Certificate of Analysis, Quality and Conformity

Material Code : GM075	Material Name : Czapek Dox Agar, Granulated	Lot No : 0000563126
Report No.: 40001305185	Date of Release & Report : 2022-12-08	Expiry Date : 2027-10

## **Appearance**

Cream to yellow coloured granular medium. Observed : Cream

## Gelling

Firm, comparable with 1.5% Agar gel

## Colour and Clarity of prepared medium

Light yellow coloured, clear to slightly opalescent gel with a slight precipitate forms in Petri plates

#### Reaction

Reaction of 4.9% w/v aqueous solution at 25°C.

## pН

pH Range :7.10-7.50 Observed : 7.41

## **Cultural Response**

Cultural characteristics observed after an incubation at 25-30°C for 48-72 hours.

Organism	Inoculum (CFU)	Growth	Recovery		
Cultural Response					
Aspergillus brasiliensis ATCC 16404 (WDCM 00053)	50-100	luxuriant	-		
Candida albicans ATCC 10231 (WDCM 00054)	50-100	luxuriant	>=50%		
Saccharomyces cerevisiae ATCC 9763 (WDCM 00058)	50-100	luxuriant	>=50%		

- . ATCC is a registered trade mark of the American Type Culture Collection
- . NCTC and National Collection of Type Culture are registered trade mark of the Health Protection Agency

#### **Control Media:**

- . For Bacteria : Soyabean Casein Digest Agar / Columbia Blood Agar base enriched with 5% v/v Sheep/Horse blood.
- . For Yeast & Mold : Sabouraud Dextrose Agar.
- . All ISO 11133 : 2014/Amd.1:2018( E ) control strains are included in the Quality parameter
- . HiMedia Laboratories Pvt Ltd is Certified for ISO 9001:2015, ISO 13485:2016, WHO GMP

## STATUS OF THE MATERIAL: APPROVED

This is to certify that this lot passes and it confirms to the above mentioned tests and specifications. The information given here is believed to be correct and accurate, however, both the information and products are offered without warranty for any particulars use, other than that specified in the current HiMedia manual or product sheets. The results reported were obtained at the time of release.

This document has been produced electronically and is valid

**PAGE: 1/2** 





\_\_\_\_\_

# **HiMedia Laboratories Private Limited**

C-40, Road No.21Y, MIDC, Wagle Industrial Area, Thane(W) - 400604, Website: www.himedialabs.com,

Email: info@himedialabs.com

# Certificate of Analysis, Quality and Conformity

Material Code : GM075	Material Name : Czapek Dox Agar, Granulated	Lot No : 0000563126
Report No.: 40001305185	Date of Release & Report : 2022-12-08	Expiry Date : 2027-10

Microbiologist/Sr.Executive

Microbiologist/Sr.Executive Microbiologist

Ujwala M. Kokate

Asst./Dy/QC Manager

Dr. Santosh Kau

Dy/QA Manager

2022-12-08